

# Hep C Bingo

Created by: Heather Lusk  
Hepatitis C Coordinator  
Hawai'i Department of Health

## Table of Contents

Instructions.....	2
Questions/ Answer Master .....	3
Game Board.....	5

## Instructions

### I. **PURPOSE:**

The purpose of this module is to reinforce the information presented earlier in the training and to have fun. It helps to have a cheap prize available to the winner.

### II. **AREAS TO EMPHASIZE IN THIS SECTION:**

- The first person to get four in a row (horizontal, vertical or diagonal) wins. Everyone starts with a “free space” to mark off.
- You will be reading the statements and participants are to pick the best answer on their sheet. Not every sheet will have every answer.
- When someone yells “Bingo!” or “HEP” check their answers to make sure they are correct.
- You will go over all of the statements/answers after the game.

### III. **TRAINING OBJECTIVES:**

- 1) Have fun!
- 1) Review content from earlier in the training to reinforce knowledge.

### IV. **TOPICS/ACTIVITIES/TIME NEEDED:**

Introduction to activity	5 min.
Play Bingo	15 min.
Review statements/answers	5 min.

***Total Time: 30 min.***

### V. **TRAINING MATERIALS AND ADVANCE PREPARATION**

- 1) Bingo cards
- 2) Bingo questions
- 3) **Prize**

## Hep C BINGO – Questions/Answers

**1. Sex**

There must be blood present during this for hep C to be transmitted.

**2. Shared Injection Equipment**

I am the most common way to get hepatitis C today.

**3. Interferon**

I am the most commonly used treatment against hepatitis C.

**4. EIA**

I am the most commonly used test to detect antibodies to HCV.

**5. 15-45%**

Amount of people who clear HCV in the acute stage.

**6. 1992**

This is the year blood products began getting tested for HCV.

**7. Hepatitis B**

This viral hepatitis, unlike the others, is transmitted most like HIV.

**8. Needle Stick**

There is less than a 2% of getting HCV from me – even with someone who is known to be living with HCV.

**9. Breast Milk**

While there is a 5% chance of vertical transmission with HCV, there is no risk with me.

**10. Tattoos**

The CDC says this isn't a risk factor for hep C – unless you get one in prison or on the street.

**11. Hepatitis A**

I am a viral hepatitis that rarely causes death and I am completely preventable!

**13. HIV**

HCV is about 100x more infectious than this virus

**14. Symptoms**

Most people with hepatitis C don't have these for many years.

**15. Anti-HCV**

This means someone has the antibodies to HCV – they need another test to see if they currently have hepatitis C.

**16. Hepatitis C**

I am the most common blood-borne disease in the U.S.

**17. ALT/AST**

Liver function tests look for many things, including levels of these enzymes.

**18. Ribavirin**

I am used in combination with interferon to treat hepatitis C.

SHARED INJECTION EQUIPMENT	<i>FREE SPACE</i>	HEPATITIS A	HEPATITIS B
HIV	HEPATITIS C	ANTI-HCV	EIA
NEEDLE STICK	BREAST MILK	INTERFERON	SEX
ALT/AST	TATTOOS	1992	15-45%

<b>HEPATITIS B</b>	<b>SEX</b>	<b>HEPATITIS C</b>	<b>RIBAVIRIN</b>
<b>SHARED INJECTION EQUIPMENT</b>	<b>HEPATITIS A</b>	<b>ANTI-HCV</b>	<b>EIA</b>
<b><u>FREE SPACE</u></b>	<b>NEEDLE STICK</b>	<b>HIV</b>	<b>INTERFERON</b>
<b>15-45%</b>	<b>ALT/AST</b>	<b>1992</b>	<b>BREAST MILK</b>

<b>15-45%</b>	<b>HEPATITIS B</b>	<b>HEPATITIS A</b>	<b>HEPATITIS C</b>
<b>TATTOOS</b>	<b>ALT/AST</b>	<b>INTERFERON</b>	<b>NEEDLE STICK</b>
<b><i>FREE SPACE</i></b>	<b>EIA</b>	<b>ANTI-HCV</b>	<b>1992</b>
<b>RIBAVIRIN</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HIV</b>	<b>BREAST MILK</b>

<b>15-45%</b>	<b>INTERFERON</b>	<b>HEPATITIS A</b>	<b>1992</b>
<b>SEX</b>	<b>ALT/AST</b>	<b>RIBAVIRIN</b>	<u><b>FREE SPACE</b></u>
<b>HEPATITIS B</b>	<b>TATTOOS</b>	<b>HEPATITIS C</b>	<b>ANTI-HCV</b>
<b>EIA</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HIV</b>	<b>NEEDLE STICK</b>

<b>EIA</b>	<b>RIBAVIRIN</b>	<b>HIV</b>	<b>TATTOOS</b>
<b>15-45%</b>	<b>HEPATITIS A</b>	<i>FREE SPACE</i>	<b>HEPATITIS C</b>
<b>BREAST MILK</b>	<b>ALT/AST</b>	<b>HEPATITIS B</b>	<b>ANTI-HCV</b>
<b>NEEDLE STICK</b>	<b>INTERFERON</b>	<b>1992</b>	<b>SEX</b>

<b>INTERFERON</b>	<b>TATTOOS</b>	<b>ALT/AST</b>	<b>15-45%</b>
<b>NEEDLE STICK</b>	<b>RIBAVIRIN</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>1992</b>
<b>HEPATITIS C</b>	<b>HIV</b>	<b>EIA</b>	<b>ANTI-HCV</b>
<b><i>FREE SPACE</i></b>	<b>HEPATITIS B</b>	<b>HEPATITIS A</b>	<b>SEX</b>

<b>ANTI-HCV</b>	<b>1992</b>	<b>15-45%</b>	<b>HEPATITIS A</b>
<b>HIV</b>	<i><b>FREE SPACE</b></i>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HEPATITIS B</b>
<b>HEPATITIS C</b>	<b>BREAST MILK</b>	<b>INTERFERON</b>	<b>TATTOOS</b>
<b>RIBAVIRIN</b>	<b>EIA</b>	<b>NEEDLE STICK</b>	<b>ALT/AST</b>

<b>HEPATITIS C</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HIV</b>	<i>FREE SPACE</i>
<b>NEEDLE STICK</b>	<b>HEPATITIS A</b>	<b>RIBAVIRIN</b>	<b>ALT/AST</b>
<b>TATTOOS</b>	<b>HEPATITIS B</b>	<b>ANTI-HCV</b>	<b>BREAST MILK</b>
<b>INTERFERON</b>	<b>15-45%</b>	<b>1992</b>	<b>EIA</b>

<b>INTERFERON</b>	<b>HIV</b>	<b>EIA</b>	<b>ANTI-HCV</b>
<b>BREAST MILK</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>1992</b>	<b>TATTOOS</b>
<b>HEPATITIS B</b>	<b><i>FREE SPACE</i></b>	<b>NEEDLE STICK</b>	<b>HEPATITIS A</b>
<b>ALT/AST</b>	<b>HEPATITIS C</b>	<b>RIBAVIRIN</b>	<b>SEX</b>

<b>TATTOOS</b>	<b>1992</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HIV</b>
<b>RIBAVIRIN</b>	<b>EIA</b>	<i>FREE SPACE</i>	<b>ANTI-HCV</b>
<b>HEPATITIS B</b>	<b>ALT/AST</b>	<b>NEEDLE STICK</b>	<b>HEPATITIS A</b>
<b>SEX</b>	<b>HEPATITIS C</b>	<b>15-45%</b>	<b>INTERFERON</b>

<b>NEEDLE STICK</b>	<b>ALT/AST</b>	<b>HEPATITIS A</b>	<i>FREE SPACE</i>
<b>1992</b>	<b>EIA</b>	<b>HEPATITIS C</b>	<b>ANTI-HCV</b>
<b>TATTOOS</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>RIBAVIRIN</b>	<b>HEPATITIS B</b>
<b>BREAST MILK</b>	<b>Interferon</b>	<b>15-45%</b>	<b>HIV</b>

<b>RIBAVIRIN</b>	<b>BREAST MILK</b>	<b>ALT/AST</b>	<b>TATTOOS</b>
<b>1992</b>	<b>NEEDLE STICK</b>	<b>HEPATITIS C</b>	<b>HIV</b>
<b>HEPATITIS B</b>	<b>ANTI-HCV</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>HEPATITIS A</b>
<b>INTERFERON</b>	<b>EIA</b>	<b><i>FREE SPACE</i></b>	<b>SEX</b>

<b>TATTOOS</b>	<b>HEPATITIS A</b>	<b>15-45%</b>	<b>HEPAPTITIS B</b>
<b>HIV</b>	<b>BREAST MILK</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>NEEDLE STICK</b>
<b>EIA</b>	<b>SEX</b>	<b>ANTI-HCV</b>	<b>1992</b>
<b>RIBAVIRIN</b>	<b><i>FREE SPACE</i></b>	<b>HEPATITIS C</b>	<b>ALT/AST</b>

<b>NEEDLE STICK</b>	<b>RIBAVIRIN</b>	<b>ALT/AST</b>	<b>INTERFERON</b>
<b>1992</b>	<b>SEX</b>	<b>15-45%</b>	<b>TATTOOS</b>
<b>HIV</b>	<b>HEPATITIS C</b>	<b>ANTI-HCV</b>	<b>EIA</b>
<b>HEPATITS B</b>	<b>HEPATITIS A</b>	<b><i>FREE SPACE</i></b>	<b>SHARED INJECTION EQUIPMENT</b>

<b>BREAST MILK</b>	<b>15-45%</b>	<b>EIA</b>	<b>HEPATITIS C</b>
<b>SHARED INJECTION EQUIPMENT</b>	<b>ALT/AST</b>	<b><i>FREE SPACE</i></b>	<b>HEPATITIS A</b>
<b>HEPATITIS B</b>	<b>INTERFERON</b>	<b>NEEDLE STICK</b>	<b>HIV</b>
<b>TATTOOS</b>	<b>1992</b>	<b>RIBAVIRIN</b>	<b>ANTI-HCV</b>

<b>HEPATITIS C</b>	<b>ALT/AST</b>	<b>ANTI-HCV</b>	<b>EIA</b>
<b>BREAST MILK</b>	<b>HEPATITIS A</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>TATTOOS</b>
<b>RIBAVIRIN</b>	<b>HIV</b>	<b>SEX</b>	<b>NEEDLE STICK</b>
<b><i>FREE SPACE</i></b>	<b>15-45%</b>	<b>1992</b>	<b>HEPATITIS B</b>

<b>ALT/AST</b>	<b>NEEDLE STICK</b>	<i>FREE SPACE</i>	<b>SHARED INJECTION EQUIPMENT</b>
<b>HIV</b>	<b>1992</b>	<b>HEPATITIS B</b>	<b>RIBAVIRIN</b>
<b>INTERFERON</b>	<b>HEPATITIS A</b>	<b>BREAST MILK</b>	<b>SEX</b>
<b>15-45%</b>	<b>ANTI-HCV</b>	<b>EIA</b>	<b>TATTOOS</b>

<b>ALT/AST</b>	<b>15-45%</b>	<b>NEEDLE STICK</b>	<b>SEX</b>
<b>ANTI-HCV</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>RIBAVIRIN</b>	<b>INTERFERON</b>
<b>BREAST MILK</b>	<i><b>FREE SPACE</b></i>	<b>HEPATITIS C</b>	<b>VIRAL INFECTION</b>
<b>HEPATITIS B</b>	<b>EIA</b>	<b>HIV</b>	<b>HEPATITIS A</b>

<b>HEPATITIS C</b>	<b>BREAST MILK</b>	<b>ALT/AST</b>	<i>FREE SPACE</i>
<b>INTERFERON</b>	<b>ANTI-HCV</b>	<b>RIBAVIRIN</b>	<b>EIA</b>
<b>NEEDLE STICK</b>	<b>SEX</b>	<b>HEPATITIS B</b>	<b>HEPATITIS A</b>
<b>SHARED INJECTION EQUIPMENT</b>	<b>1992</b>	<b>HIV</b>	<b>15-45%</b>

<b>NEEDLE STICK</b>	<b>BREAST MILK</b>	<b>ALT/AST</b>	<b>EIA</b>
<b>HEPATITIS C</b>	<b>HEPATITIS B</b>	<b>RIBAVIRIN</b>	<b>INTERFERON</b>
<b>HIV</b>	<b>SEX</b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>ANTI-HCV</b>
<b>HEPATITIS A</b>	<b>VIRAL INFECTION</b>	<b>TATTOOS</b>	<i>FREE SPACE</i>

<b>NEEDLE STICK</b>	<b>EIA</b>	<b>ALT/AST</b>	<b>RIBAVIRIN</b>
<b>HEPATITIS C</b>	<b>HEPATITIS B</b>	<b>15-45%</b>	<b>INTERFERON</b>
<b>SHARED INJECTION EQUIPMENT</b>	<b>SEX</b>	<b>HIV</b>	<b>HEPATITIS A</b>
<b>ANTI-HCV</b>	<b>1992</b>	<b>FREE SPACE</b>	<b>TATTOOS</b>

<b>HEPATITS B</b>	<b>BREAST MILK</b>	<b>ALT/AST</b>	<b>HEPATITIS C</b>
<b>EIA</b>	<b>NEEDLE STICK</b>	<b>RIBAVIRIN</b>	<i>FREE SPACE</i>
<b>ANTI-HCV</b>	<b>SEX</b>	<b>INTERFERON</b>	<b>SHARED INJECTION EQUIPMENT</b>
<b>HEPATITIS A</b>	<b>1992</b>	<b>TATTOOS</b>	<b>HIV</b>

<b>SHARED INJECTION EQUIPMENT</b>	<b>HEPATITIS B</b>	<b>RIBAVIRIN</b>	<b>SEX</b>
<b>INTERFERON</b>	<b>BREAST MILK</b>	<b>ALT/AST</b>	<b>HEPATITIS C</b>
<b>HIV</b>	<b>EIA</b>	<i>FREE SPACE</i>	<b>ANTI-HCV</b>
<b>HEPATITIS A</b>	<b>1992</b>	<b>TATTOOS</b>	<b>NEEDLE STICK</b>

<b>NEEDLE STICK</b>	<b>BREAST MILK</b>	<b>1992</b>	<b>EIA</b>
<b><i>FREE SPACE</i></b>	<b>HEPATITS B</b>	<b>ANTI-HCV</b>	<b>SHARED INJECTION EQUIPMENT</b>
<b>HIV</b>	<b>RIBAVIRIN</b>	<b>INTERFERON</b>	<b>HEPATITIS A</b>
<b>15-45%</b>	<b>ALT/AST</b>	<b>TATTOOS</b>	<b>HEPATITIS C</b>

<b>NEEDLE STICK</b>	<b>15-45%</b>	<b>ALT/AST</b>	<b>SHARED INJECTION EQUIPMENT</b>
<b>1992</b>	<b>HEPATITIS B</b>	<b>RIBAVIRIN</b>	<b>INTERFERON</b>
<b><i>FREE SPACE</i></b>	<b>SEX</b>	<b>EIA</b>	<b>ANTI-HCV</b>
<b>TATTOOS</b>	<b>HEPATITIS A</b>	<b>BREAST MILK</b>	<b>HIV</b>

<b>EIA</b>	<b>SEX</b>	<b>BREAST MILK</b>	<b>NEEDLE STICK</b>
<b>INTERFERON</b>	<b>ANTI-HCV</b>	<b>RIBAVIRIN</b>	<b>1992</b>
<b>HIV</b>	<b>ALT/AST</b>	<b>HEPATITIS A</b>	<b>HEPATITIS B</b>
<b><i>FREE SPACE</i></b>	<b>HEPATITIS C</b>	<b>TATTOOS</b>	<b>SHARED INJECTION EQUIPMENT</b>

<b>INTERFERON</b>	<b>HEPATITIS B</b>	<b>NEEDLE STICK</b>	<b>EIA</b>
<b>1992</b>	<b>ALT/AST</b>	<i>FREE SPACE</i>	SHARED INJECTION EQUIPMENT
<b>HEPATITIS B</b>	<b>SEX</b>	<b>15-45%</b>	<b>ANTI-HCV</b>
<b>HEPATITIS A</b>	<b>HEPATITIS C</b>	<b>BREAST MILK</b>	<b>HIV</b>

<b>HEPATITIS B</b>	<b>EIA</b>	<b>SEX</b>	<b>BREAST MILK</b>
<b>HEPATITIS C</b>	<b>NEEDLE STICK</b>	<b>RIBAVIRIN</b>	<b>INTERFERON</b>
<b>ANTI-HCV</b>	<b><u>FREE SPACE</u></b>	<b>SHARED INJECTION EQUIPMENT</b>	<b>1992</b>
<b>HIV</b>	<b>HEPATITIS A</b>	<b>TATTOOS</b>	<b>ALT/AST</b>